



DECLARATION OF CONFORMITY

Application of Council Directive(s): 2014/30/EU - The EMC Directive
Manufacturer's Name: Axiomatic Technologies Corporation
5915 Wallace Street
Mississauga, Ontario Canada L4Z 1Z8
Equipment Type/Environment: Power Gen Set Networked Controller
Trade Names/Model Nos: Discrete I/O Module/AXDIO12 (-03), AXDIO128CO, 234-0275
Year of Manufacture: 2012/2013/2014/2015/2016/2017/2018/2019/2020
Testing Facility: Self-declared
File No.: Elite Electronic Engineering Inc. AXDIO128 (Engineering Test Report No. 1201612-03)
Records Maintained by: Axiomatic Technologies Corporation
5915 Wallace Street, Mississauga, ON
Canada L4Z 1Z8
TEL: 905-602-9270

Standard(s) to which Conformity is Declared:

Emissions:

IEC 60533: 1999 (Table 3, Class B)

Radiated Emissions (0.15 – 30 MHz: 80-50 dbuV/m; 30-100 MHz: 60-54 kbuV/m; 100-2000 MHz; 54 dbuV/m except 156-165MHz 24 dbuV/m)

Conducted Emissions (10-150 kHz: 120-69 dbuV, 150-500 kHz: 79 dbuV, 0.5-30 MHz: 73 dbuV)

Test set up and methods per:

CISPR 16-1-1, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1: Radio disturbance and immunity measuring apparatus. 2010. Class A

CISPR 16-1-2, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2: Methods of measurement of disturbance and immunity. 2009. Class A

CISPR 16-1-4. 2010

CISPR 16-2-3. 2010

Immunity:

Conducted Susceptibility IEC 60533:1999 Table 4 and EN 61000-4-6 *Immunity to conducted disturbances, induced by radio-frequency fields*: 2009 Criteria A (150 kHz-80 MHz, 3 Vrms)

Radiated Susceptibility IEC 60533: 1999 Table 4 and EN 61000-4-3 *Radiated, radio-frequency, electromagnetic field immunity test*. 2010 (80 - 2,700 MHz; 10 V/m; 80% AM, 1kHz) Criteria A

Conducted Low Frequency Interference per IEC 60533:1999 Table 4 and EN 61000-4-16 *Test for immunity to conducted, common mode disturbances in the frequency range 50 Hz to 10 kHz*: 2011 (2.8 Vrms, 0.05 to 10 kHz) Criteria B

Electrical Fast Transients/Burst per IEC 60533:1999 Table 4 and EN 61000-4-4 *Electrical fast transient/burst immunity test*: 2004 (2 kV to power lines, 1kV to signal lines and communication lines, 300 ms) Criteria B

Slow Transient/Electrical Surge Test per IEC 60533:1999 Table 4 and EN 61000-4-5 *Surge immunity test*: 2006 (+/- 0.5 kV L/L, +/- 1 kV L/E) Criteria B

Immunity to Electrostatic Discharge per IEC 60533:1999 Table 4 and EN 61000-4-2 *Electrostatic discharge immunity test*: 2009 (6kV contact discharge, 8kV air discharge) Criteria B

I, the undersigned, hereby declare that the equipment specified above conforms to the above Directive and Standards.

Manufacturer

Amanda Wilkins
Axiomatic Technologies Corporation
March 5, 2019
Mississauga, Ontario, Canada

Axiomatic Technologies Corporation
5915 Wallace Street, Mississauga, Ontario Canada L4Z 1Z8
TEL: 1 (905) 602-9270 FAX: 1 (905) 602-9279 E-mail: sales@axiomatic.com
www.axiomatic.com